

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006

Version #: 06 Issue date: 05/13

Revision date: 16/01/2023 Supersedes date: 09/11/2020-

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

JURID Brake Fluid

of the mixture

Registration number

Synonyms DOT 5.1 - All grades, DOT 4 - grades with Wet Boiling Points > 165 °C.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hydraulic fluid in automotive brake/clutch system.

Uses advised against None known

1.3. Details of the supplier of the safety data sheet Manufacturer/Supplier

Federal-Mogul Global Aftermarket EMEA bv Company name

Address: Prins Boudewiinlaan 5

B-2550 Kontich

Belgium

Contact person: Mario Garelli - Product Manager Braking Products EMEA

E-mail: mario.garelli@driv.com

Telephone: +39 045 8281 354

INFOTRAC: 001-352-323-3500 1.4. Emergency Telephone:

Belgium Poison Center (Centre Antipoison): +32 070 245 245

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

H361d - Suspected of damaging Reproductive toxicity Category 2

the unborn child.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Tris[2-[2-(2-methoxyethoxy) ethoxy]ethyl] orthoborate Contains:

Hazard pictograms



Signal word Warning

Hazard statements

Suspected of damaging the unborn child. H361d

Precautionary statements

Prevention

Keep out of reach of children. P102

Do not handle until all safety precautions have been read and understood. P202 Wear protective gloves/protective clothing/eye protection/face protection. P280

Response

IF exposed or concerned: Get medical advice/attention. P308 + P313

Storage

JURID Brake Fluid 1 / 10 Version #: 06

Revision date: 16/01/2023 Issue date: 22/05/2013.

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental information on

the label

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or

greater than 0.1% by weight.

The mixture does not contain any substances having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|---|-----------------------|-------------------------|------------------------------|--------------|-------|
| Tris[2-[2-(2-methoxyethoxy) ethoxy]ethyl] orthoborate | 30 - 90 | 30989-05-0 250-418-4 | 01-2119462824-33-XXXX | - | |
| ,, ,, | on: Repr. 2;H3 | | | | |
| Triethylene glycol monobutyl ether | 1,0 - 9,9 | 143-22-6 205-592-6 | 01-2119475107-38-XXXX | 603-183-00-0 | |
| Classification | on: Eye Dam. | 1;H318 | | | |
| Specific Concentration Limit | its: Eye Dam. | 1;H318: C >= 30 %, E | Eye Irrit. 2;H319: 20 % <= C | < 30 % | |
| Butyl Polyglycol | 0 - 5 | 9004-77-7 500-012-0 | 01-2119475115-41-XXXX | - | |
| Classification | on: Eye Dam. | 1;H318 | | | |
| Specific Concentration Limit | its: Eye Dam. | 1;H318: C >= 30 %, E | Eye Irrit. 2;H319: 20 % <= C | < 30 % | |
| 2-(2-Methoxyethoxy)ethanol | 0 - < 3 | 111-77-3 203-906-6 | 01-2119475100-52-XXXX | 603-107-00-6 | # |
| | | | | | |
| Classification | on: Repr. 1B;H | 1360D | | | |

List of abbreviations and symbols that may be used above

#: This substance has been assigned Community workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in **Composition comments**

percent by volume. The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. IF exposed or concerned: Get medical advice/attention.

4.1. Description of first aid measures

Inhalation Move injured person into fresh air and keep person calm under observation. Get medical attention

if any discomfort continues.

Remove contaminated clothes and rinse skin thoroughly with water. Get medical attention if Skin contact

irritation develops and persists.

Flush thoroughly with water for at least 15 minutes. Get medical attention if irritation persists after Eve contact

Ingestion Rinse mouth thoroughly with water and give large amounts of milk or water, if person is conscious.

Only induce vomiting at the instruction of medical personnel. Get medical attention if any

discomfort continues.

4.2. Most important symptoms and effects, both acute and

delayed

Exposed individuals may experience eye tearing, redness, and discomfort. Defats the skin. Central

nervous system. Headaches, dizziness and nausea. May cause abdominal discomfort if

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

SECTION 5: Firefighting measures

Will burn if involved in a fire. General fire hazards

JURID Brake Fluid SDS EU Issue date: 22/05/2013.

5.1. Extinguishing media

Suitable extinguishing

media

Alcohol resistant foam. Dry powder. Water mist.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters Special protective

equipment for firefighters

Self-contained breathing apparatus and full protective clothing should be worn when fighting chemical fires. Selection of respiratory protection for firefighting: follow the general fire precautions

indicated in the workplace.

Special fire fighting procedures

Use standard firefighting procedures and consider the hazards of other involved materials.

Containers close to fire should be removed immediately or cooled with water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Follow standard emergency procedure. Do not breathe mist/vapours. Wear appropriate personal

protective equipment (See Section 8).

For emergency responders

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Avoid contact with skin and eyes. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Use water spray to reduce vapours or divert vapour cloud drift. The product is soluble in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapours. Avoid contact with skin and eyes. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protection, see Section 8 of the SDS. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Keep container in a well-ventilated place. Store between 15°C - 30°C (60°F -86°F). Store away from incompatible materials (see section 10 of the SDS).

Storage class (TRGS 510): 6.1C (Combustible substances of acute toxicity, category 3/hazardous

substances that are toxic or produce chronic effects) Hydraulic fluid in automotive brake/clutch system.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

7.3. Specific end use(s)

Occupational exposure limits

| Components | Туре | Value | Form |
|--|--|--------------------------------------|----------------------|
| 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) | AGW | 50 mg/m3 | Vapour and aerosol |
| | | 10 ppm | Vapour and aerosol |
| EU. Indicative Exposure Lin | nit Values in Directives 91/322/EEC, 2 | 000/39/EC, 2006/15/EC, 2009 | /161/EU, 2017/164/EU |
| EU. Indicative Exposure Lin Components | nit Values in Directives 91/322/EEC, 2 Type | 000/39/EC, 2006/15/EC, 2009 Value | /161/EU, 2017/164/EU |
| • | _ | , | /161/EU, 2017/164/EU |
| Components 2-(2-Methoxyethoxy)ethanol | Туре | Value | /161/EU, 2017/164/EU |

JURID Brake Fluid SDS EU Issue date: 22/05/2013.

Derived no effect levels (DNELs)

General population

| Components | Value | Assessment factor | Notes |
|---|--|---|---|
| 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) | | | |
| Long-term, Systemic, Dermal Long-term, Systemic, Inhalation | 1,33 mg/kg bw/day 30,1 mg/m3 | 30 | Repeated dose toxicity |
| Long-term, Systemic, Oral Butyl Polyglycol (CAS 9004-77-7) | 7,5 mg/kg bw/day | 120 | Repeated dose toxicity |
| , | 125 malka | 40 | Danastad daga tayigity |
| Long-term, Systemic, Dermal Long-term, Systemic, Inhalation | 125 mg/kg 117 mg/m3 | 10 | Repeated dose toxicity Repeated dose toxicity |
| Long-term, Systemic, Oral | 12,5 mg/kg | 40 | Repeated dose toxicity |
| Triethylene glycol monobutyl ether (CAS 143-2 | | | repeated deed toxiony |
| | , | 40 | Deposted does toxicity |
| Long-term, Systemic, Dermal Long-term, Systemic, Inhalation | 125 mg/kg/day 117 mg/m3 | 40 10 | Repeated dose toxicity Repeated dose toxicity |
| Long-term, Systemic, Oral | 12,5 mg/kg/day | 40 | Repeated dose toxicity |
| Tris[2-[2-(2-methoxyethoxy) ethoxy]ethyl] ortho | | | . repeated door to/tiony |
| Long-term, Systemic, Dermal | 10 mg/kg | 100 | Repeated dose toxicity |
| Long-term, Systemic, Oral | 10 mg/kg | 100 | Repeated dose toxicity |
| Workers | 10 mg/ng | 100 | repeated door toxinity |
| Components | Value | Assessment factor | Notes |
| 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) | | | |
| Long-term, Systemic, Dermal | 2,22 mg/kg bw/day | 18 | Repeated dose toxicity |
| Long-term, Systemic, Inhalation | 50,1 mg/m3 | .0 | . topodiod doso toxioity |
| Butyl Polyglycol (CAS 9004-77-7) | 000 // | 0.4 | 5 |
| Long-term, Systemic, Dermal Long-term, Systemic, Inhalation | 208 mg/kg 195 mg/m3 | 24 6 | Repeated dose toxicity Repeated dose toxicity |
| Triethylene glycol monobutyl ether (CAS 143- | 22-6) | | |
| Long-term, Systemic, Dermal Long-term, Systemic, Inhalation | 208 mg/kg/day 195 mg/m3 | 24 6 | Repeated dose toxicity Repeated dose toxicity |
| Tris[2-[2-(2-methoxyethoxy) ethoxy]ethyl] ortho | oborate (CAS 30989-05-0) | | |
| Long torm Systemic Dormal | 16.7 mg/kg | 60 | Repeated dose toxicity |
| Long-term, Systemic, Dermal | 16,7 mg/kg | 00 | repeated dose toxicity |
| | 16,7 mg/kg | 00 | repeated dose toxicity |
| licted no effect concentrations (PNECs) | Value | Assessment factor | Notes |
| licted no effect concentrations (PNECs) Components | | | |
| licted no effect concentrations (PNECs) Components | Value | | |
| Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) | | Assessment factor | |
| Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water | Value 12 mg/l 12 mg/l 1,2 mg/l | Assessment factor | |
| licted no effect concentrations (PNECs) Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning | Value 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg | Assessment factor | |
| licted no effect concentrations (PNECs) Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) | Value 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg | Assessment factor 100 1000 | Notes |
| licted no effect concentrations (PNECs) Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) | 12 mg/l 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg | Assessment factor 100 1000 | Notes |
| licted no effect concentrations (PNECs) Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil | Value 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg | Assessment factor 100 1000 200 | Notes |
| licted no effect concentrations (PNECs) Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP | 12 mg/l 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg | Assessment factor 100 1000 | Notes |
| licted no effect concentrations (PNECs) Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) | Value 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l | Assessment factor 100 1000 200 | Notes |
| licted no effect concentrations (PNECs) Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) Freshwater | Value 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l | Assessment factor 100 1000 200 1 | Notes |
| licted no effect concentrations (PNECs) Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) Freshwater Marine water | Value 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l 4,5 mg/l 0,31 mg/l | Assessment factor 100 1000 200 1 1 100 1000 1000 | Notes |
| licted no effect concentrations (PNECs) Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) Freshwater Marine water Secondary poisoning | Value 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l 4,5 mg/l 0,31 mg/l 111 mg/kg | 100 1000 200 1 1 100 1000 90 | Notes |
| Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) Freshwater Marine water Secondary poisoning Sediment (freshwater) | Value 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l 4,5 mg/l 0,31 mg/l 111 mg/kg 6,6 mg/kg | 100 1000 200 1 1 100 1000 90 1000 | Notes |
| licted no effect concentrations (PNECs) Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) Freshwater Marine water Secondary poisoning Sediment (freshwater) Sediment (freshwater) Sediment (freshwater) Sediment (marine water) | 12 mg/l 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l 4,5 mg/l 0,31 mg/l 111 mg/kg 6,6 mg/kg 0,66 mg/kg | 100 1000 200 1 1 100 1000 90 | Notes |
| Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) Freshwater Marine water Secondary poisoning Sediment (freshwater) | Value 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l 4,5 mg/l 0,31 mg/l 111 mg/kg 6,6 mg/kg | 100 1000 200 1 1 100 1000 90 1000 | Notes |
| Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) Freshwater Marine water Secondary poisoning Sediment (freshwater) Soil STP Sediment (marine water) Sediment (freshwater) Sediment (freshwater) Sediment (marine water) Soil STP | 12 mg/l 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l 4,5 mg/l 0,31 mg/l 111 mg/kg 6,6 mg/kg 0,66 mg/kg 1,32 mg/kg 500 mg/l | 100 1000 200 1 1 100 1000 90 1000 10000 | Notes |
| Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) Freshwater Marine water Secondary poisoning Sediment (freshwater) Soil STP Sediment (marine water) Sediment (freshwater) Sediment (freshwater) Sediment (marine water) Soil STP | 12 mg/l 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l 4,5 mg/l 0,31 mg/l 111 mg/kg 6,6 mg/kg 0,66 mg/kg 1,32 mg/kg 500 mg/l | 100 1000 200 1 1 100 1000 90 1000 10000 | Notes |
| Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) Freshwater Marine water Secondary poisoning Sediment (freshwater) Soil STP Triethylene glycol monobutyl ether (CAS 143-2) | Value 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l 4,5 mg/l 0,31 mg/l 111 mg/kg 6,6 mg/kg 0,66 mg/kg 1,32 mg/kg 500 mg/l 22-6) 2 mg/l 8,4 mg/l | Assessment factor 100 1000 200 1 1 100 1000 90 1000 100 | Notes |
| Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) Freshwater Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Triethylene glycol monobutyl ether (CAS 143-2) Freshwater | Value 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l 4,5 mg/l 0,31 mg/l 111 mg/kg 6,6 mg/kg 0,66 mg/kg 1,32 mg/kg 500 mg/l 22-6) 2 mg/l 8,4 mg/l 0,2 mg/l | Assessment factor 100 1000 200 1 100 1000 90 1000 1000 | Notes |
| Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) Freshwater Marine water Secondary poisoning Sediment (freshwater) Sediment (freshwater) Sediment (freshwater) Triethylene glycol monobutyl ether (CAS 143-2) Freshwater Intermittent releases Marine water Secondary poisoning | 12 mg/l 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l 4,5 mg/l 0,31 mg/l 111 mg/kg 6,6 mg/kg 0,66 mg/kg 1,32 mg/kg 500 mg/l 22-6) 2 mg/l 8,4 mg/l 0,2 mg/l 111 mg/kg | Assessment factor 100 1000 200 1 1 100 1000 90 1000 100 | Notes |
| Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) Freshwater Marine water Secondary poisoning Sediment (freshwater) Sediment (freshwater) Sediment (freshwater) Triethylene glycol monobutyl ether (CAS 143-1) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) | Value 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l 4,5 mg/l 0,31 mg/l 111 mg/kg 6,6 mg/kg 0,66 mg/kg 1,32 mg/kg 500 mg/l 22-6) 2 mg/l 8,4 mg/l 0,2 mg/l 111 mg/kg 7,7 mg/kg | 100 1000 200 1 1 100 1000 90 1000 1000 | Notes Oral |
| Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) Freshwater Marine water Secondary poisoning Sediment (freshwater) Sediment (freshwater) Sediment (freshwater) Sediment (freshwater) Sediment (marine water) Soil STP Triethylene glycol monobutyl ether (CAS 143-144-144-144-144-144-144-144-144-144- | Value 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l 4,5 mg/l 0,31 mg/l 111 mg/kg 6,6 mg/kg 0,66 mg/kg 1,32 mg/kg 500 mg/l 22-6) 2 mg/l 8,4 mg/l 0,2 mg/l 111 mg/kg 7,7 mg/kg 0,77 mg/kg | 100 1000 200 1 1 100 1000 90 1000 1000 | Notes Oral |
| Components 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) Sediment (marine water) Soil STP Butyl Polyglycol (CAS 9004-77-7) Freshwater Marine water Secondary poisoning Sediment (freshwater) Sediment (freshwater) Sediment (freshwater) Triethylene glycol monobutyl ether (CAS 143-1) Freshwater Intermittent releases Marine water Secondary poisoning Sediment (freshwater) | Value 12 mg/l 12 mg/l 1,2 mg/l 0,09 g/kg 44,4 mg/kg 0,44 mg/kg 2,1 mg/kg 10000 mg/l 4,5 mg/l 0,31 mg/l 111 mg/kg 6,6 mg/kg 0,66 mg/kg 1,32 mg/kg 500 mg/l 22-6) 2 mg/l 8,4 mg/l 0,2 mg/l 111 mg/kg 7,7 mg/kg | 100 1000 200 1 1 100 1000 90 1000 1000 | Notes Oral |

JURID Brake Fluid SDS EU Revision date: 16/01/2023 Issue date: 22/05/2013.

Tris[2-[2-(2-methoxyethoxy) ethoxy]ethyl] orthoborate (CAS 30989-05-0)

1000 0,211 mg/l

Intermittent releases 2,112 mg/l

10000 Marine water 0,021 mg/l

Sediment (freshwater) 0,76 mg/kg Sediment (marine water) 0,076 mg/kg Soil 0,028 mg/kg

STP 10 100 ma/l

Exposure guidelines

Germany TRGS 900 Limit Values: Skin designation

2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) Can be absorbed through the skin.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166. Eye/face protection

Skin protection

Chemical resistant gloves. Wear suitable gloves tested to EN374. Full contact: Glove material: - Hand protection

> Butyl rubber. Use gloves with breakthrough time of >480 minutes minutes. Minimum glove thickness 0.3 mm. Nitrile. Use gloves with breakthrough time of > 480 minutes. Minimum glove

thickness 0.2 mm.

Wear appropriate clothing to prevent repeated or prolonged skin contact. - Other

Respiratory protection In case of inadequate ventilation or when the product is heated, use suitable respiratory equipment

with gas filter (type A2). Respiratory protection should meet standard EN 14387.

When material is heated, wear gloves to protect against thermal burns. Thermal hazards

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. Observe any medical surveillance requirements.

Environmental exposure

controls

Environmental manager must be informed of all major releases. Emissions from ventilation or work

process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the

process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid. Liquid. **Form** Amber. Colour Odour Mild

Melting point/freezing point < -50 °C (< -58 °F) **Boiling point or initial boiling**

point and boiling range

> 260 °C (> 500 °F)

Flammability Will burn if involved in a fire.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Property has not been measured. Explosive limit - upper

(%)

Property has not been measured.

> 120 °C (> 248 °F) Flash point > 280 °C (> 536 °F) **Auto-ignition temperature** 300 °C (572 °F) **Decomposition temperature** > 7 - < 10,5

> 5 - < 10 cSt (20 °C (68 °F)) Kinematic viscosity

Solubility

Solubility (water) Soluble in water.

1,5 Partition coefficient

(n-octanol/water) (log value)

JURID Brake Fluid SDS EU 5 / 10

Version #: 06 Revision date: 16/01/2023 Issue date: 22/05/2013. Vapour pressure 1 mbar

Density and/or relative density

Density > 1,02 - < 1,07

Vapour densityProperty has not been measured.Particle characteristicsNot applicable, material is a liquid.

9.2. Other information

9.2.1. Information with regard No relevant additional information available. **to physical hazard classes**

9.2.2. Other safety characteristics

Evaporation rate 0,01 (Butyl acetate = 100)

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Stable under normal temperature conditions. Glycol Ethers can form peroxides on storage – do not

distil to dryness.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Avoid exposure to high temperatures or direct sunlight. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidizers, strong acids, and strong bases. Strong reducing agents.

10.6. Hazardous Fire or high temperatures create: Carbon monoxide. Carbon dioxide.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Glycol does not easily form a vapour at normal temperatures. Therefore, it must be heated or

misted before inhalation exposure can occur.

Skin contact Prolonged or repeated contact may dry skin and cause dermatitis.

Eye contact Based on available data, the classification criteria are not met.

Ingestion May cause discomfort if swallowed.

Symptoms Exposed individuals may experience eye tearing, redness, and discomfort. Defats the skin.

Central nervous system. May cause abdominal discomfort if swallowed. Headaches, dizziness

3540 mg/kg

5300 mg/kg

and nausea.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Rabbit

Rat

Acute toxicity

LD50

Oral LD50

Skin corrosion/irritation

| Acute toxicity | | | |
|---------------------------|--------------------------|--------------|--|
| Product | Species | Test Results | |
| FERODO Brake Fluid (CA | S Mixture) | | |
| <u>Acute</u> | | | |
| Dermal | | | |
| LD50 | Rabbit | > 3000 mg/kg | |
| Oral | | | |
| LD50 | Rat | > 5000 mg/kg | |
| Components | Species | Test Results | |
| 2-(2-Methoxyethoxy)ethand | ol (CAS 111-77-3) | | |
| <u>Acute</u> | | | |
| Dermal | | | |
| LD50 | Rabbit | 8980 ml/kg | |
| Oral | | | |
| LD50 | Rat | 6700 ml/kg | |
| Triethylene glycol monobu | tyl ether (CAS 143-22-6) | | |
| <u>Acute</u> | | | |
| Dermal | | | |

JURID Brake Fluid SDS EU

Based on available data, the classification criteria are not met.

Version #: 06 Revision date: 16/01/2023 Issue date: 22/05/2013.

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation Based on available data, the classification criteria are not met.

Skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met.

Suspected of damaging fertility or the unborn child. Reproductive toxicity

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.

Glycol ethers: Some glycol ethers cause adverse effects in animals that include the reproductive Other information

system, offspring, blood, kidney and liver.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Components **Species Test Results**

Triethylene glycol monobutyl ether (CAS 143-22-6)

Aquatic

Acute

Fish LC50 Pimephales promelas 2400 mg/l, 96 hours

12.2. Persistence and

degradability

Expected to be inherently biodegradable. Expected to be readily biodegradable. (OECD 302B).

12.3. Bioaccumulative potential Potential to bioaccumulate is low.

Partition coefficient n-octanol/water (log Kow)

> FERODO Brake Fluid 1.5 2-(2-Methoxyethoxy)ethanol (CAS 111-77-3) -1,18Triethylene glycol monobutyl ether (CAS 143-22-6) 0,02

Bioconcentration factor (BCF)

Not available.

12.4. Mobility in soil

This product is water soluble and may disperse in soil.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

12.7. Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code 16 01 13*

The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

JURID Brake Fluid SDS EU

SECTION 14: Transport information

ADR

Not regulated as dangerous goods. 14.1. UN number 14.2. UN proper shipping Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned. Not assigned. **Tunnel restriction code** Not assigned. 14.4. Packing group

14.5. Environmental hazards No.

Not assigned. 14.6. Special precautions

for user

RID

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Not assigned. **Class**

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

Not assigned. 14.6. Special precautions

for user

ADN

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Not assigned. 14.4. Packing group

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned. 14.6. Special precautions Not assigned.

for user

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

8 / 10 Version #: 06 Revision date: 16/01/2023 Issue date: 22/05/2013.

JURID Brake Fluid SDS EU

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

According to Directive 92/85/EEC as amended, pregnant women should not work with the product,

if there is the least risk of exposure.

National regulations

TA-LUFT Not regulated.

Water hazard class

AwSV WGK1

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

JURID Brake Fluid

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

DNEL: Derived No-Effect Level. EC50: Effective Concentration, 50%.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

SDS EU

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%.

MARPOL: International Convention for the Prevention of Pollution from Ships.

Version #: 06 Revision date: 16/01/2023 Issue date: 22/05/2013. 9 / 10

NOEC: No observed effect concentration. PBT: Persistent, bioaccumulative and toxic. PNEC: Predicted No-Effect Concentration.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative. HSDB® - Hazardous Substances Data Bank ECHA: European Chemical Agency.

Registry of Toxic Effects of Chemical Substances (RTECS)

Information on evaluation method leading to the classification of mixture

References

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H318 Causes serious eye damage. H360D May damage the unborn child.

H361d Suspected of damaging the unborn child.

This SDS contains revisions in the following section(s):

2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 15, 16.

Training information Follow training instructions when handling this material. **Further information** UFI: C910-G008-E00S-ADWH, Grade: DOT4 ESP UFI: RF10-G0D2-100S-N32N, Grade: DOT5.1

The information provided on this data sheet was abstracted from supplier safety data sheets and Disclaimer

standard references in occupational health and toxicology. Federal-Mogul makes no

representation or warranty with respect to the information obtained from such references. The information is however, as of the date provided, true and accurate to the best of Federal-Mogul's knowledge, and should be used to make an independent determination of the methods to

safeguard workers and the environment.

JURID Brake Fluid SDS EU

10 / 10

Version #: 06 Revision date: 16/01/2023 Issue date: 22/05/2013.